15" (380mm), 2-way, Full-range, Compact Loudspeaker System





KEY FEATURES

- High power handling HF compression driver
- ★ 60° x 40° coverage rotatable horn
- Audiophile-grade passive crossover network
- High-performance woofer with extended low-frequency response

APPLICATIONS

The ED15P is a compact 2-way, full-range loudspeaker system offering great performance and full range response from an arrayable cabinet with a choice of dispersion patterns to suit a range of portable and fixed installations applications. Thanks to the compact size associated with an impressive SPL, ED15P can be employed for first-row or under-balcony coverage in theatres or for TV and broadcast applications.

THE ED15P

ED15P is a 2-way bi-amplifiable speaker system equipped with an audiophile-grade passive crossover. The 15" woofer provides a bass extension down to 50Hz and features a 75 mm ISV (Interleaved Sandwich) aluminum voice coil and a special strength cone with a water repellent protection treatment. For the high frequencies it uses a 1.4" neodymium driver with a 2.4" voice coil and titanium diaphragm, combined with a progressive constant-directivity 90° x 60° rotatable waveguide, able to provide excellent directivity control, balanced frequency response and low distortion.

SYSTEM SPECIFICATIONS

SISIEM		
System's Acoustic Principle	2-way vented enclosure	
Frequency Response (±6dB)	50 Hz - 18 kHz (-3 dB, +6 dB)	
Nominal Impedance	8 0hm + 8 0hm	
Horizontal Coverage Angle	60° average, from 1 kHz to 20 kHz	
Vertical Coverage Angle	40° average, from 1 kHz to 20 kHz	

Vertical Coverage Angle 40° average, from 1 kHz to 2 HF Sensitivity 109 dB SPL (2.83 V @ 1 m) LF Sensitivity 97 dB SPL (2.83 V @ 1 m) Maximum (peak) Output 130 dB SPL

TRANSDUCERS

CVCTEM

HF	1.4" neodymium driver - 2.4" voice coil
LF	15" ferrite woofer - 3" voice coil

INPUT CONNECTIONS

Connector Type Neutrik® Speakon® NL4 x 2

POWER HANDLING

Power rating (AES)	70 W + 600 W (600W passive)
Power rating (program)	140 W + 1200 W (1200 passive)

ENCLOSURE & CONSTRUCTION

Physical Dimensions	
Width	47 cm
Height	73 cm
Depth	46 cm
Enclosure Material	15mm birch plywood, internally reinforced
Paint	Black water based paint
Flying system	6 x M10 - top, bottom
Net Weight	36 kg (79.4 lbs)













