


AXPACK-3Q20+

60 kWatt continuous Power Amplifier Rack

Based on Q-NEX20.4+
Networked DSP Amplifier





AX1BP

1 Unit - 19" Blank Panel

Q-NEX20.4+

DSP Power Amplifier

4 x 5000W @ 4 ohm / 4 x 5000W @ 2 ohm

SD36C


Signal In/Out Distro Box

PD32A

Three phase AC Power Supply Distro Box, provided with Volt-meters for each hot line referred to Neutral

CR412BLKMW

Shock proof 19" Rack Case - 12U, 9mm. 5 Ply Phenolic-bond Marine Plywood 100mm. Blue Industrial wheels (two with brakes)



Q-NEX20.4

DSP Power Amplifier
4 x 5000W @ 4 ohm / 4 x 5000W @ 2 ohm

SD36C

Signal In/Out Distro Box

PD32A

Three phase AC Power Supply Distro Box, provided with Volt-meters for each hot line referred to Neutral

CR412BLKMW

Shock proof 19" Rack Case - 12U, 9mm. 5 Ply Phenolic-bond Marine Plywood 100mm. Blue Industrial wheels (two with brakes)

To Q-NEX Amplifiers
ANALOGUE LINES 1-3
(3 x NC3FXX)


Out
(RJ45)

Input
(RJ45)

From Q-NEX Amplifiers
Power Outputs
(3 x NC3FXX)



SD36C
Signal Distro Box



MONO CABLING for dual Mono usage

